

# Safety Data Sheet

## Castaldo® LiquaGlass® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

09/01/2020

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product Identity** Castaldo® LiquaGlass® RTV Jewelry Molding Rubber Part B  
**Alternate Names** Castaldo® LiquaGlass® RTV Jewelry Molding Rubber Part B

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use** See Technical Data Sheet.  
**Application Method** See Technical Data Sheet.

#### 1.3. Details of the supplier of the safety data sheet

**Company Name** Goodwin Refractory Services Ltd  
Spencroft Road, Newcastle-under-Lyme,  
Staffordshire, ST5 9JE, United Kingdom

#### Emergency

**24 hour Emergency Telephone No.** Chem-Tel: 1-800-255-3924  
**Customer Service:** +44 (0) 1782 66 36 00

### 2. Hazard identification of the product

#### 2.1. Classification of the substance or mixture

No applicable GHS categories.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.  
No applicable GHS categories.

#### [Prevention]:

No GHS prevention statements

#### [Response]:

No GHS response statements

#### [Storage]:

No GHS storage statements

#### [Disposal]:

No GHS disposal statements

### 3. Composition/information on ingredients

# Safety Data Sheet

## Castaldo® LiquaGlass® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

09/01/2020

This product is primarily alkyl polyol, plasticizer and aromatic diamine (<10%). All ingredients are NOT classified as health hazards under GHS, OR are present below cut-offs/ concentration limits.

### 4. First aid measures

#### 4.1. Description of first aid measures

<b>General</b>	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
<b>Inhalation</b>	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
<b>Eyes</b>	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
<b>Skin</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
<b>Ingestion</b>	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Overview</b>	May cause mild skin and eye irritation. Mists may cause mild respiratory irritation. Single oral dose toxicity is low. No harmful effects anticipated from ingesting small amounts incidental to normal handling. Large amounts may cause gastrointestinal effects.
-----------------	---

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.  
Do not use; water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Thermal decomposition will generate oxides of carbon and phosphorus and chlorine compounds.

#### 5.3. Advice for fire-fighters

Specific Hazards: Not classified as flammable or combustible. May generate toxic/irritating compounds and dense smoke in fire conditions.

Special Protective Equipment & Precautions for Fire-Fighters: Wear SCBA & full-body protective suit. Cool hot containers with water.

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water ways.

**ERG Guide No.** ----

# Safety Data Sheet

## Castaldo® LiquaGlass® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

09/01/2020

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Clear non-emergency personnel. Put on protective equipment. Remove sources of ignition. Contain spill to minimize environmental contamination. Absorb spilled material with non-reactive absorbent such as sawdust, vermiculite, or sand. Collect and containerize spill material. Dispose of in accordance with federal, state and local regulations.

### 7. Handling and storage

#### 7.1. Precautions for safe handling

Avoid breathing vapor. Use in well ventilated area. Avoid contact with eyes, skin and clothing. Do not eat, drink or smoke in work area. Wash hands after handling. See Section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Strong Oxidizers

Store indoors at temperatures between 60 °F and 95°F. Store in original containers. Avoid getting moisture into containers. Keep containers tightly closed.

#### 7.3. Specific end use(s)

No data available.

### 8. Exposure controls and personal protection

#### 8.1. Control parameters

There are no ingredients in this product which are classified as hazardous.

#### 8.2. Exposure controls

##### Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

##### Eyes

Chemical splash goggles recommended.

##### Skin

Wear overalls to keep skin contact to a minimum. Wear eye protection (e.g., chemical splash goggles), protective clothing and impermeable gloves (e.g., nitrile or butyl rubber). In the absence of good ventilation, use respirator equipped with organic vapor cartridges or air-supplied respirator. In emergencies, use SCBA.

# Safety Data Sheet

## Castaldo® LiquaGlass® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

09/01/2020

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

**Other Work Practices** Impervious clothing is recommended to prevent skin contact and contamination of personal clothing. An eyewash and washing facility should be available in the work area.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### 9. Physical and chemical properties

<b>Appearance</b>	Clear, pale-green Liquid
<b>Odor</b>	Mild
<b>Odor threshold</b>	Not Measured
<b>pH</b>	NA
<b>Melting point / freezing point</b>	NA
<b>Initial boiling point and boiling range</b>	NA
<b>Flash Point</b>	> 128 C (262 F)
<b>Evaporation rate (Ether = 1)</b>	NA
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit: NA</b> <b>Upper Explosive Limit: NA</b>
<b>Vapor pressure (Pa)</b>	≤0.1 mm Hg @ 20°C
<b>Vapor Density</b>	No data available
<b>Specific Gravity</b>	NA
<b>Solubility in Water</b>	Slightly soluble in water
<b>Partition coefficient n-octanol/water (Log Kow)</b>	Not Measured
<b>Auto-ignition temperature</b>	NA
<b>Decomposition temperature</b>	NA
<b>Viscosity (cSt)</b>	400 cP
<b>VOC %</b>	NA
<b>Relative Density</b>	(1.0 @ 25 C)

#### 9.2. Other information

No other relevant information.

### 10. Stability and reactivity

#### 10.1. Reactivity

# Safety Data Sheet

## Castaldo® LiquaGlass® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

09/01/2020

Hazardous Polymerization will not occur.

### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

Reaction with strong oxidizers generates heat.

### 10.4. Conditions to avoid

Avoid direct sunlight, heat, and open flame.

### 10.5. Incompatible materials

Strong Oxidizers

### 10.6. Hazardous decomposition products

Thermal decomposition will generate oxides of carbon and phosphorus and chlorine compounds.

## 11. Toxicological information

### Acute toxicity

There are no ingredients in this product which are classified as hazardous.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

# Safety Data Sheet

## Castaldo® LiquaGlass® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

09/01/2020

### 12. Ecological information

#### 12.1. Toxicity

This material is not classified as dangerous to aquatic organisms (Alkyl polyol blend: LC50/EC50 greater than 100 mg/L in most sensitive species).

#### Aquatic Ecotoxicity

There are no ingredients in this product which are classified as hazardous.

#### 12.2. Persistence and degradability

Not readily biodegradable.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

### 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance. For U.S.: Upon disposal, this product is not a RCRA hazardous waste (per 40 CFR 261).

### 14. Transport information

	<b>DOT (Domestic Surface Transportation)</b>	<b>IMO / IMDG (Ocean Transportation)</b>	<b>ICAO/IATA</b>
<b>14.1. UN number</b>	Not Applicable	Not Regulated	Not Regulated
<b>14.2. UN proper shipping name</b>	Not Regulated	Not Regulated	Not Regulated
<b>14.3. Transport hazard class(es)</b>	<b>DOT Hazard Class:</b> Not Applicable <b>DOT Label:</b> ---	<b>IMDG:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>Air Class:</b> Not Applicable
<b>14.4. Packing group</b>	Not Applicable	Not Applicable	Not Applicable

#### 14.5. Environmental hazards

**IMDG** Marine Pollutant: No

# Safety Data Sheet

## Castaldo® LiquaGlass® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

09/01/2020

### 14.6. Special precautions for user

No further information

## 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

**Toxic Substance Control Act ( TSCA )** All components of this material are either listed or exempt from listing on the TSCA Inventory.

**WHMIS Classification** Not Regulated

**US EPA Tier II Hazards**

**Fire:**No

**Sudden Release of Pressure:**No

**Reactive:**No

**Immediate (Acute):**No

**Delayed (Chronic):**No

**EPCRA 311/312 Chemicals and RQs:**

(No Product Ingredients Listed)

**EPCRA 302 Extremely Hazardous :**

(No Product Ingredients Listed)

**EPCRA 313 Toxic Chemicals:**

(No Product Ingredients Listed)

**Proposition 65 - Carcinogens (>0.0%):**

(No Product Ingredients Listed)

**Proposition 65 - Developmental Toxins (>0.0%):**

(No Product Ingredients Listed)

**Proposition 65 - Female Repro Toxins (>0.0%):**

(No Product Ingredients Listed)

**Proposition 65 - Male Repro Toxins (>0.0%):**

(No Product Ingredients Listed)

**N.J. RTK Substances (>1%) :**

(No Product Ingredients Listed)

**Penn RTK Substances (>1%) :**

(No Product Ingredients Listed)

## 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

## Safety Data Sheet

### Castaldo® LiquaGlass® RTV Jewelry Molding Rubber Part B



SDS Revision Date:

09/01/2020

The full text of the phrases appearing in section 3 is:

Not Applicable

**This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.**

Disclaimer: The information contained herein is considered accurate; however, Goodwin Refractory Services Ltd makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.

End of Document