

# Safety Data Sheet

## Castaldo® QuickSil® Silicone RTV Jewelry Molding Rubber Part A



SDS Revision Date:

4/18/2019

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product Identity** Castaldo® QuickSil® Silicone RTV Jewelry Molding Rubber Part A  
**Alternate Names** Castaldo® QuickSil® Silicone RTV Jewelry Molding Rubber Part A

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use** See Technical Data Sheet.  
**Application Method** See Technical Data Sheet.

#### 1.3. Details of the supplier of the safety data sheet

**Company Name** Goodwin Refractory Services Ltd  
Spencroft Road, Newcastle-under-Lyme,  
Staffordshire, ST5 9JE, United Kingdom

#### Emergency

**24 hour Emergency Telephone No.** Chem-Tel: 1-800-255-3924  
**Customer Service:** +44 (0) 1782 66 36 00

### 2. Hazard identification of the product

#### 2.1. Classification of the substance or mixture

No applicable GHS categories.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

No applicable GHS categories.

#### [Prevention]:

No GHS prevention statements

#### [Response]:

No GHS response statements

#### [Storage]:

# Safety Data Sheet

## Castaldo® QuickSil® Silicone RTV Jewelry Molding Rubber Part A



SDS Revision Date:

09/01/2020

No GHS storage statements

**[Disposal]:**

No GHS disposal statements

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Cyclotetrasiloxane, octamethyl- CAS Number: 0000556-67-2	0.10 - 1.0	Repr. 2;H361f Aquatic Chronic 4;H413	[1][3]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

### 4. First aid measures

#### 4.1. Description of first aid measures

<b>General</b>	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
<b>Inhalation</b>	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
<b>Eyes</b>	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
<b>Skin</b>	Wipe off excess material with cloth or paper. Use a waterless hand cleaner to remove as much of the remaining material as possible.
<b>Ingestion</b>	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Overview</b>	Chronic health effects: This material contains crystalline silica. However, due to the physical nature of this material inhalation of silica dust is not possible. Prolonged or repeated inhalation of vapors may have adverse effects on the reproductive system, based on animal testing of a component of this material. See Sect. 3.3 "Carcinogens/Reproductive toxins". Carcinogens/Reproductive toxins: This material does not contain any reportable carcinogenic ingredients. Exposure to carcinogens cannot occur under normal conditions of use or during foreseeable emergencies. Based on animal tests. This material contains between 0.1% and 1% of a known reproductive toxin. However, the relevance to humans has not been determined. See section 11.2 Toxicity data - Additional Information / Comments. May cause slight eye irritation.
-----------------	--

## Safety Data Sheet

### Castaldo® QuickSil® Silicone RTV Jewelry Molding Rubber Part A



SDS Revision Date:

09/01/2020

#### 5. Fire-fighting measures

##### 5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray, sand.  
Do not use; water jet.

##### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

##### 5.3. Advice for fire-fighters

Special exposure hazards: Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases. Hazardous decomposition products: carbon dioxide, carbon monoxide, formaldehyde, silicon dioxide and incompletely burnt hydrocarbons.

Fire-fighting procedures: Fire fighters should wear full protective clothing including a self-contained breathing apparatus. Cool endangered containers with water.

ERG Guide No. ----

#### 6. Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

##### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

##### 6.3. Methods and material for containment and cleaning up

Containment: Prevent material from entering sewers or surface waters. Spills of material which could reach surface waters must be reported to the United States Coast Guard National Response Center's toll free phone number (800) 424-8802.

Methods for cleaning up: Scoop up large quantities after dusting surfaces with sand or Fuller's earth to prevent sticking. Sweep or scrape up the spilled material and place in an appropriate chemical waste container. Clean any slippery coating that remains using a detergent/soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

#### 7. Handling and storage

##### 7.1. Precautions for safe handling

None noted.

##### 7.2. Conditions for safe storage, including any incompatibilities

# Safety Data Sheet

## Castaldo® QuickSil® Silicone RTV Jewelry Molding Rubber Part A



SDS Revision Date:

09/01/2020

Keep container tightly closed. Store in a cool dry place.

Incompatible materials: No data available.

### 7.3. Specific end use(s)

No data available.

## 8. Exposure controls and personal protection

### 8.1. Control parameters

#### Exposure

CAS No.	Ingredient	Source	Value
0000556-67-2	Cyclotetrasiloxane, octamethyl-	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	10 ppm (123 mg/m <sup>3</sup> )

#### Carcinogen Data

CAS No.	Ingredient	Source	Value
0000556-67-2	Cyclotetrasiloxane, octamethyl-	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

### 8.2. Exposure controls

#### Respiratory

Not normally required

#### Eyes

Safety glasses with side shields

#### Skin

Wear overalls to keep skin contact to a minimum. Any liquid-tight rubber or vinyl gloves recommended.

#### Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

#### Other Work Practices

Safety showers and eye wash stations should be provided in areas where this product is used. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

# Safety Data Sheet

## Castaldo® QuickSil® Silicone RTV Jewelry Molding Rubber Part A



SDS Revision Date:

09/01/2020

See section 2 for further details. - [Prevention]:

### 9. Physical and chemical properties

<b>Appearance</b>	Green Paste
<b>Odor</b>	Characteristic
<b>Odor threshold</b>	Not Measured
<b>pH</b>	NA
<b>Melting point / freezing point</b>	NA
<b>Initial boiling point and boiling range</b>	NA
<b>Flash Point</b>	NA
<b>Evaporation rate (Ether = 1)</b>	NA
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	<b>Lower Explosive Limit: NA</b> <b>Upper Explosive Limit: NA</b>
<b>Vapor pressure (Pa)</b>	NA
<b>Vapor Density</b>	NA
<b>Specific Gravity</b>	Density: APPROX. 1-1.5 G/CM3 (Estimated Value)
<b>Solubility in Water</b>	Virtually insoluble
<b>Partition coefficient n-octanol/water (Log Kow)</b>	Not Measured
<b>Auto-ignition temperature</b>	NA
<b>Decomposition temperature</b>	NA
<b>Viscosity (cSt)</b>	NA
<b>VOC %</b>	NA

#### 9.2. Other information

No other relevant information.

### 10. Stability and reactivity

#### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

# Safety Data Sheet

## Castaldo® QuickSil® Silicone RTV Jewelry Molding Rubber Part A



SDS Revision Date:

09/01/2020

No data available.

### 10.4. Conditions to avoid

No data available.

### 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

## 11. Toxicological information

### Acute toxicity

In a 90-day subchronic inhalation study with OMCTS/D4, female rats at the highest dose level of 300 ppm showed a reversible increase in liver and ovary weights. Rats exposed to inhalation concentrations of 5 ppm and 10 ppm, did not show any toxic effects. Toxicity to reproduction/fertility: Impurity: In a two generation reproductive study via inhalation with OMCTS/D4 rats, decreased mean live litter size and prolonged labor (dystocia) were observed at the 500 ppm and 700 ppm exposure levels. The relevance of these effects in humans cannot be determined at this time. Because these effects are only seen at very high exposure levels, it is unlikely that industrial, commercial and/or consumer uses of products containing OMCTS/D4 would result in a significant risk to humans. Based on animal experiments there is no indication of developmental effects.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Cyclotetrasiloxane, octamethyl- - (556-67-2)	2,000.00, Rat - Category: 4	4,640.00, Rabbit - Category: 5	36.00, Rat - Category: NA	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable

## Safety Data Sheet

### Castaldo® QuickSil® Silicone RTV Jewelry Molding Rubber Part A



SDS Revision Date:

09/01/2020

Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

#### 12. Ecological information

##### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

##### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Cyclotetrasiloxane, octamethyl- - (556-67-2)	200.00, Leuciscus idus	25.20, Daphnia magna	Not Available

##### 12.2. Persistence and degradability

Biologically not degradable. Insoluble in water. Separation by sedimentation.

##### 12.3. Bioaccumulative potential

No adverse effects expected.

##### 12.4. Mobility in soil

Insoluble in water. No adverse effects expected.

##### 12.5. Results of PBT and vPvB assessment

This product contains PBT/vPvB chemicals.

##### 12.6. Other adverse effects

No data available.

#### 13. Disposal considerations

##### 13.1. Waste treatment methods

Material that cannot be used or chemically reprocessed should be disposed of at an approved facility in accordance with any applicable governmental regulations.

Packaging disposal recommendation: Containers should be completely emptied before recycling as specified in government regulations. Empty containers should be sent to an approved recycling facility.

#### 14. Transport information

DOT (Domestic Surface Transportation)

IMO / IMDG (Ocean Transportation)

ICAO/IATA

# Safety Data Sheet

## Castaldo® QuickSil® Silicone RTV Jewelry Molding Rubber Part A



SDS Revision Date:

09/01/2020

<b>14.1. UN number</b>	Not Applicable	Not Regulated	Not Regulated
<b>14.2. UN proper shipping name</b>	Not Regulated	Not Regulated	Not Regulated
<b>14.3. Transport hazard class(es)</b>	<b>DOT Hazard Class:</b> Not Applicable <b>DOT Label:</b> ---	<b>IMDG:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>Air Class:</b> Not Applicable
<b>14.4. Packing group</b>	Not Applicable	Not Applicable	Not Applicable
<b>14.5. Environmental hazards</b>			
<b>IMDG</b>	Marine Pollutant: No		
<b>14.6. Special precautions for user</b>			
No further information			

### 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

**Toxic Substance Control Act (TSCA)** All components of this material are either listed or exempt from listing on the TSCA Inventory.

**WHMIS Classification** Not Regulated

**US EPA Tier II Hazards**

**Fire:**No

**Sudden Release of Pressure:**No

**Reactive:**No

**Immediate (Acute):**No

**Delayed (Chronic):**No

**EPCRA 311/312 Chemicals and RQs:**

(No Product Ingredients Listed)

**EPCRA 302 Extremely Hazardous :**

(No Product Ingredients Listed)

**EPCRA 313 Toxic Chemicals:**

(No Product Ingredients Listed)

**Proposition 65 - Carcinogens (>0.0%):**

(No Product Ingredients Listed)

**Proposition 65 - Developmental Toxins (>0.0%):**

(No Product Ingredients Listed)

**Proposition 65 - Female Repro Toxins (>0.0%):**

(No Product Ingredients Listed)

**Proposition 65 - Male Repro Toxins (>0.0%):**

(No Product Ingredients Listed)

**N.J. RTK Substances (>1%) :**

(No Product Ingredients Listed)

**Penn RTK Substances (>1%) :**

(No Product Ingredients Listed)



## Safety Data Sheet

### Castaldo® QuickSil® Silicone RTV Jewelry Molding Rubber Part A



SDS Revision Date:

09/01/2020

#### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H361f Suspected of damaging fertility.

H413 May cause long lasting harmful effects to aquatic life.

**This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.**

Disclaimer: The information contained herein is considered accurate; however, Goodwin Refractory Services Ltd makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.

End of Document