

Safety Data Sheet

Castaldo[®] Golden River[™] Jewelry Injection Wax



SDS Revision Date:

9/1/2020

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity Castaldo[®] Golden River[™] Jewelry Injection Wax
Alternate Names Castaldo[®] Golden River[™] Jewelry Injection Wax

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.
Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Goodwin Refractory Services Ltd
Spencroft Road, Newcastle-under-Lyme,
Staffordshire, ST5 9JE, United Kingdom

Emergency

24 hour Emergency Telephone No. Chem-Tel: 1-800-255-3924
Customer Service: +44 (0) 1782 66 36 00

2. Hazard identification of the product

2.1. Classification of the substance or mixture

No applicable GHS categories.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

No applicable GHS categories.

[Prevention]:

No GHS prevention statements

[Response]:

No GHS response statements

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements

3. Composition/information on ingredients

Safety Data Sheet

Castaldo® Golden River™ Jewelry Injection Wax



SDS Revision Date:

9/1/2020

There are no ingredients in this product which are classified as hazardous.

4. First aid measures

4.1. Description of first aid measures

| | |
|-------------------|---|
| General | In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. |
| Inhalation | Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth. |
| Eyes | Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention. HOT MOLTEN product: Cool burns with plenty of low-pressure water. |
| Skin | Wash with soap and water. Get medical attention if irritation develops or persists. HOT MOLTEN product: Immediately cool skin with water and cold packs for at least 15 minutes. Do NOT put ice directly on the skin. Do NOT attempt to remove solidified wax from the skin as severe tissue damage may result. Get immediate medical attention. See Note to Physician. |
| Ingestion | If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-----------------|---|
| Overview | <p>Emergency overview: Warning! Hot wax can cause burns to eyes and skin. When handling hot wax, use heat protective gloves and other PPE to protect against thermal burns. Spills may create a slipping hazard.</p> <p>POTENTIAL HEALTH EFFECTS Primary Entry Routes: Inhalation (when the product is thermally degraded) Target Organs: Upper respiratory tract. Acute Effects/Chronic Effects: Solid product: Acute and chronic health effects are not expected as long as good industrial hygiene and safety precautions are followed. Hot molten product. Inhalation: At elevated temperatures dense fumes may develop which can cause respiratory tract irritation and other breathing disorders. Eye: Contact with hot product will cause burns to the eyes. Skin: Skin contact with hot material may result in severe burns. Ingestion: No significant adverse effects are anticipated. If swallowed in large quantities, this material can obstruct the intestine. Carcinogenicity: IARC, NTP, and OSHA do not list any components as carcinogens. Note to Physicians: For HOT MOLTEN or HOT LIQUID product: Material should not be forcibly pulled from the skin. Mineral oil may be used to loosen and soften the material. See section 2 for further details.</p> |
|-----------------|---|

5. Fire-fighting measures

5.1. Extinguishing media

Safety Data Sheet

Castaldo® Golden River™ Jewelry Injection Wax



SDS Revision Date:

9/1/2020

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water fog

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon dioxide and carbon monoxide

5.3. Advice for fire-fighters

Fire-Fighting Instructions: Wear protective clothing to prevent contact with skin and eyes. Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full face piece operated in pressure-demand or positive pressure mode.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Stop spill at source. Dike area and contain. Clean up remainder with absorbent materials such as sand or vermiculite. Mop up and dispose of.

7. Handling and storage

7.1. Precautions for safe handling

Use normal precautions when handling hot molten liquid solutions. Do not breathe fumes or vapor from heated material. Do not allow hot material to contact skin. With the product at ambient temperatures, avoid creating and breathing dust. Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: No data available.

Store at ambient temperatures in closed containers. This material can catch fire if overheated. Do not heat this material above the flash point. Keep away from flame and open electrical coils.

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

There are no ingredients in this product which are classified as hazardous.

8.2. Exposure controls

Safety Data Sheet

Castaldo® Golden River™ Jewelry Injection Wax



SDS Revision Date:

9/1/2020

| | |
|-----------------------------|--|
| Respiratory | The need for respiratory protection is not anticipated under normal use conditions and with adequate ventilation. If elevated airborne concentrations above applicable workplace exposure levels are anticipated, a NIOSH-approved organic vapor respirator equipped with a dust/mist prefilter should be used. |
| Eyes | Use a full-face shield and safety glasses if handling heated material. With product at ambient temperatures, use safety glasses equipped with side shields. |
| Skin | Prevent skin contact when handling heated material. Use insulated, heat-resistant clothing such as apron or slicker suit. When handling product at elevated temperatures, use heat-resistant gloves. With product at ambient temperatures, use disposable nitrile, neoprene or butyl rubber gloves with repeated or prolonged use. |
| Engineering Controls | Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn. |
| Other Work Practices | Make emergency eye wash stations, safety/quick-drench showers, and washing facilities available in work area. Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse. |

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

| | |
|--|--|
| Appearance | Light brown Solid |
| Odor | Mild |
| Odor threshold | Not Measured |
| pH | NA |
| Melting point / freezing point | Softening Point by Ring and Ball Apparatus ASTM E28-58T:160 F. |
| Initial boiling point and boiling range | > 450 F |
| Flash Point | 465 F (240 C) COC |
| Evaporation rate (Ether = 1) | NA |
| Flammability (solid, gas) | Not Applicable |
| Upper/lower flammability or explosive limits | Lower Explosive Limit: Not Established Upper Explosive Limit: Not Established |
| Vapor pressure (Pa) | NA |
| Vapor Density | NA |
| Specific Gravity | 0.97 (H ₂ O=1, at 4 C) |
| Solubility in Water | Insoluble in cold water |
| Partition coefficient n-octanol/water (Log Kow) | Not Measured |
| Auto-ignition temperature | NA |

Safety Data Sheet

Castaldo® Golden River™ Jewelry Injection Wax



SDS Revision Date:

9/1/2020

| | |
|----------------------------------|------------|
| Decomposition temperature | NA |
| Viscosity (cSt) | NA |
| VOC % | NA |
| % Volatile | Negligible |

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Avoid direct sunlight, heat, and open flame.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Carbon dioxide and carbon monoxide

11. Toxicological information

Acute toxicity

There are no ingredients in this product which are classified as hazardous.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

| Classification | Category | Hazard Description |
|-------------------------------|----------|--------------------|
| Acute toxicity (oral) | --- | Not Applicable |
| Acute toxicity (dermal) | --- | Not Applicable |
| Acute toxicity (inhalation) | --- | Not Applicable |
| Skin corrosion/irritation | --- | Not Applicable |
| Serious eye damage/irritation | --- | Not Applicable |
| Respiratory sensitization | --- | Not Applicable |

Safety Data Sheet

Castaldo® Golden River™ Jewelry Injection Wax



SDS Revision Date:

9/1/2020

| | | |
|------------------------|-----|----------------|
| Skin sensitization | --- | Not Applicable |
| Germ cell mutagenicity | --- | Not Applicable |
| Carcinogenicity | --- | Not Applicable |
| Reproductive toxicity | --- | Not Applicable |
| STOT-single exposure | --- | Not Applicable |
| STOT-repeated exposure | --- | Not Applicable |
| Aspiration hazard | --- | Not Applicable |

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

There are no ingredients in this product which are classified as hazardous.

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

| | DOT (Domestic Surface Transportation) | IMO / IMDG (Ocean Transportation) | ICAO/IATA |
|---|---|---|----------------------------------|
| 14.1. UN number | Not Applicable | Not Regulated | Not Regulated |
| 14.2. UN proper shipping name | Not Regulated | Not Regulated | Not Regulated |
| 14.3. Transport hazard class(es) | DOT Hazard Class: Not Applicable | IMDG: Not Applicable Sub Class: Not Applicable | Air Class: Not Applicable |

Safety Data Sheet

Castaldo® Golden River™ Jewelry Injection Wax



SDS Revision Date:

9/1/2020

DOT Label: ---

14.4. Packing group

Not Applicable

Not Applicable

Not Applicable

14.5. Environmental hazards

IMDG

Marine Pollutant: No

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA)

All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification

Not Regulated

US EPA Tier II Hazards

Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No

Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

(No Product Ingredients Listed)

EPCRA 302 Extremely Hazardous :

(No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals:

(No Product Ingredients Listed)

Proposition 65 - Carcinogens (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Female Repro Toxins (>0.0%):

(No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0.0%):

(No Product Ingredients Listed)

N.J. RTK Substances (>1%) :

(No Product Ingredients Listed)

Penn RTK Substances (>1%) :

(No Product Ingredients Listed)

16. Other information

Safety Data Sheet

Castaldo® Golden River™ Jewelry Injection Wax



SDS Revision Date:

9/1/2020

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is: Not Applicable

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Disclaimer: The information contained herein is considered accurate; however, Goodwin Refractory Services Ltd makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.

End of Document